

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	368	709/208,209,210,211,230.220,221,222,223,224,225,226,244. ccls. and (reconfigur\$5 chang\$5) near5 ((physical IP internet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:04
L3	30	709/208,209,210,211,230.220,221,222,223,224,225,226,244. ccls. and (reconfigur\$5 chang\$5) near5 ((physical IP internet) near5 address) and (ethernet near4 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:05
L4	6	709/208,209,210,211,230.220,221,222,223,224,225,226,244. ccls. and (reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((MAC ethernet) near10 address) and (reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((IP) near10 address) and (ethernet) near5 (ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:13
S11 6	6	"644411".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:34
S11 7	2	"6044411".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:19
S11 8	19	("6044411").URPN.	USPAT	OR	ON	2005/03/15 12:19
S11 9	19	("6044411").URPN.	USPAT	OR	ON	2005/03/15 12:22
S12 0	5	("5802269"   "5802393"   "5809224"   "5812757"   "5822547").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/15 12:30
S12 1	22	(computer adj3 enclosure adj3 servic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:24
S12 2	4	S121 and master and slave and (physical near3 address) and ((IP internet) near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:36
S12 3	5	S121 and (physical near3 address) and ((IP internet) near4 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:36
S12 4	2	("6427176").URPN.	USPAT	OR	ON	2005/03/15 12:37
S12 5	2	("6427176").URPN.	USPAT	OR	ON	2005/03/15 12:37
S12 6	11	("5117430"   "5245615"   "5499357"   "5574519"   "5701429"   "5754548"   "5907616"   "5953515"   "6122256"   "6199130"   "6237048").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/15 12:38

S12 9	4	(enclosure adj3 servic\$5) and (assign\$5 allocat\$5) near5 (internal slave module) near5 (address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:26
S13 0	2	(enclosure adj3 servic\$5) and (assign\$5 allocat\$5) near5 (internal slave module) near5 ((physical IP internet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:28
S13 1	338	(assign\$5 allocat\$5) near5 (internal slave module) near5 ((physical IP internet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:23
S13 2	5	(assign\$5 allocat\$5) near5 (internal slave module) near5 ((physical) and (IP internet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:31
S13 3	336	(assign\$5 allocat\$5) near5 (internal slave module) near5 ((physical near5 address)((IP internet) near3 address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:31
S13 4	1	S133 and (ethernet near3 ring near3 topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:32
S13 5	2	"6260079".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:02
S13 6	0	((IP/int) (IP near4 (initialization))) and (master and salve) and (ring near3 topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:04
S13 7	1	((IP/int) (IP near4 (initialization))) and (ring near3 topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:04
S13 8	1	((IP near4 (initialization))) and (ring near3 topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:04
S13 9	1	((IP near4 (initialization))) and (ring near3 topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:05

S14 0	1	(assign\$5 allocat\$5) near5 ((internal slave module) near10 address) and (SPCN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:26
S14 1	1	(reassign\$5 allocat\$5) near5 ((port socket) near10 address) and (SPCN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:27
S14 2	1	(reassign\$5 reallocat\$5) near5 ((port socket) near10 address) and (SPCN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:27
S14 3	25	(reassign\$5 reallocat\$5) near5 ((port socket) near10 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:26
S14 4	4	(bootp) same (ring bus) near5 (network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:53
S14 5	7	(renam\$5) near5 ((port socket) near10 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:19
S14 6	3717	(reconfigur\$5 chang\$5) near5 ((physical IP internet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:01
S14 7	54	(reconfigur\$5 chang\$5) near5 ((physicalnear10 ethernet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:25
S14 8	2	(reconfigur\$5 chang\$5) near5 ((physical near10 ethernet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:32
S14 9	30	(reconfigur\$5 chang\$5) near5 ((IP near10 ethernet) near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:32
S15 0	4	(reassign\$5 reallocat\$5) near5 ((MAC ethernet) near10 address) and (reassign\$5 reallocat\$5) near5 ((IP) near10 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:27

S15 1	247	(reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((MAC ethernet) near10 address) and (reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((IP) near10 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:29
S15 2	195	(reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((MAC ethernet) near10 address) same (reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((IP) near10 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:28
S15 3	64	(reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((MAC ethernet) near10 address) and (reassign\$5 reallocat\$5 reconfigur\$5 chang\$5) near5 ((IP) near10 address) and (ethernet) near5 (ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:12